



CERTIFICATE OF ACCREDITATION

In terms of section 22(2)(b) of the Accreditation for Conformity Assessment, Calibration and Good Laboratory Practice Act, 2006 (Act 19 of 2006), read with sections 23(1), (2) and (3) of the said Act, I hereby certify that:-

ASKHAM CONSULTING (PTY) LTD
Co. Reg. No.: 2016/037553/07
PIETERMARITZBURG

Facility Accreditation Number: **OH0236**

is a South African National Accreditation System accredited Inspection Body to undertake **TYPE A** inspection provided that all SANAS conditions and requirements are complied with

This certificate is valid as per the scope as stated in the accompanying scope of accreditation, Annexure "A", bearing the above accreditation number for

OCCUPATIONAL HYGIENE INSPECTION AT WORKPLACES

The facility is accredited in accordance with the recognised International Standard

ISO/IEC 17020:2012

The accreditation demonstrates technical competency for a defined scope and the operation of a management system

While this certificate remains valid, the Accredited Facility named above is authorised to use the relevant SANAS accreditation symbol to issue facility reports and/or certificates

Mr R Josias
Chief Executive Officer

Effective Date: 22 August 2019
Certificate Expires: 21 August 2023

This certificate does not on its own confer authority to act as an Approved Inspection Authority as contemplated in the Occupational Hygiene Regulations. Approval to inspect within the regulatory domain is granted by the Department of Employment and Labour.



ANNEXURE A

SCOPE OF ACCREDITATION

Accreditation Number: OH0236

TYPE A

Permanent Address: Askham Consulting (Pty) Ltd Tanner Road Estate 4 Oswald Shearer Road Wembley Pietermaritzburg 3201 Tel: (033) 342-2180 Cell: 072 426-5362 Email: askhamconsulting@telkomsa.net		Postal Address: Tanner Road Estate 4 Oswald Shearer Road Wembley Pietermaritzburg 3201 Issue No.: 01 Date of issue: 22 August 2019 Expiry date: 21 August 2023
Nominated Representative: Mr LG Askham Quality Manager: Mr LG Askham	Technical Manager: Mr LG Askham	Technical Signatory: Mr LG Askham – Reg. No. 0197 (Full Scope) Regulation: 1. Asbestos 2. Lead 3. Noise-Induced Hearing Loss 4. Hazardous Chemical Substances
Field of Inspection	Service Rendered	Codes and Regulations
Regulatory: The supply of services as an inspection authority for Asbestos Regulations, Government Notice No. R 155 of 10 February 2002.	Inspection Authority for: Regulation 8 – Air Monitoring Regulation 21 – Air Monitoring	Procedures and In-house methods not limited to the following: OHS Act Legislated: <ul style="list-style-type: none"> HSG 173: Monitoring Strategies for Toxic Substances HSG 248: Asbestos, The analysts' guide for sampling, analysis and clearance procedures, HSE, UK (previously MDHS 39/4: Methods for Determination of Hazardous Substances: Asbestos fibres in air, sampling and evaluation by phase contrast microscopy) OESSM: Occupational Exposure Sampling Strategy Manual Supplementary documents: <ul style="list-style-type: none"> NIOSH Manual of Analytical Techniques OSHA Index of Sampling and Analytical Methods

Original date of accreditation: 22 August 2019


Page 1 of 3


 Accreditation Manager

ANNEXURE A

Accreditation No.: OH0236
 Date of issue: 22 August 2019
 Expiry date: 21 August 2023

Field of Inspection	Service Rendered	Codes and Regulations
The supply of services as an inspection authority for Lead Regulations, Government Notice No. R 236 of 28 February 2002	Regulation 7 – Air monitoring	OHS Act Legislated: <ul style="list-style-type: none"> • HSG 173: Monitoring Strategies for Toxic Substances • OESSM: Occupational Exposure Sampling Strategy Manual • SANS 6164: Standard method for the determination of lead (inorganic and tetra-alkyl) in the workplace by atomic absorption and spectrophotometry Supplementary documents: <ul style="list-style-type: none"> • NIOSH Manual of Analytical Techniques • OSHA Index of Sampling and Analytical Methods • HSE Methods for the Determination of Hazardous Substances (i.e. MDHS
The supply of services as an inspection authority for Noise-Induced Hearing Loss Regulations, Government Notice No. R 307 of 07 March 2003	Regulation 7 – Noise monitoring	OHS Act Legislated: <ul style="list-style-type: none"> • SANS 10083: Code of Practice for the Measurement and Assessment of Occupational Noise for Hearing Conservation Purposes Supplementary documents: <ul style="list-style-type: none"> • DME Guideline for the Compilation of a Mandatory Code of Practice for an Occupational Health Programme (Occupational Hygiene and Medical Surveillance) for Noise
The supply of services as an inspection authority for the Regulations for Hazardous Chemical Substances , Government Notice No. R 1179 of 25 August 1995	Regulation 6 – Air Monitoring	OHS Act Legislated: <ul style="list-style-type: none"> • OESSM: Occupational Exposure Sampling Strategy Manual • HSG 173: Monitoring Strategies for Toxic Substances (previously EH 42) Supplementary documents: <ul style="list-style-type: none"> • NIOSH Manual of Analytical Techniques • OSHA Index of Sampling and Analytical Methods • AIHA: A Strategy for Assessing and Managing Occupational Exposures • HSE Methods for the Determination of Hazardous Substances (i.e. MDHS
Maintenance of control measures Examinations and tests of engineering control measures		
The supply of services as an inspection authority for Asbestos Regulations, Government Notice No. R 155 of 10 February 2002	Regulation 18 – Maintenance of control measures	OHS Act Legislated: None specified Supplementary documents: <ul style="list-style-type: none"> • The Safe Handling of Asbestos-containing Lagging or Insulation, Guidance Note No. 001 (Department of Labour)


Accreditation Manager

ANNEXURE A

Accreditation No.: OH0236
 Date of issue: 22 August 2019
 Expiry date: 21 August 2023

Field of Inspection	Service Rendered	Codes and Regulations
The supply of services as an inspection authority for Lead Regulations, Government Notice No. R 236 of 28 February 2002	Regulation 14 – Maintenance of control measures	OHS Act Legislated: None specified Supplementary documents: <ul style="list-style-type: none"> • ACGIH: “Industrial Ventilation: A Manual of Recommended Practice for Operation and Maintenance” • ANSI/ASHRAE 110: ASHRAE Standard “Method of Testing Performance of Laboratory Fume Hoods”
The supply of services as an inspection authority for the Regulations for Hazardous Chemical Substances , Government Notice No. R 1179 of 25 August 1995	Regulation 12 – Maintenance of control measures	OHS Act Legislated: None specified Supplementary documents: <ul style="list-style-type: none"> • ACGIH: “Industrial Ventilation: A Manual of Recommended Practice for Operation and Maintenance” • ANSI/ASHRAE 110: ASHRAE Standard “Method of Testing Performance of Laboratory Fume Hoods” • General Safety Regulations (GNR. 1031 of 30 May 1986), Regulation 4 relates to use and storage of flammable liquids

Original date of accreditation: 22 August 2019

Page 3 of 3

ISSUED BY THE SOUTH AFRICAN NATIONAL ACCREDITATION SYSTEM


Accreditation Manager